

REMARKS

VERSION WITH MARKINGS TO SHOW CHANGES MADE

Attached hereto is a marked-up version of the changes made to the specification by the current amendment.

Please amend the specification as follows:

At page 14, Table 1, line 3 following the specified 5' primer sequence please insert -- (SEQ ID NO:1)--.

At page 14, Table 1, line 4 following the specified 3' primer sequence please insert -- (SEQ ID NO:2)--.

At page 14, Table 1, line 5 following the specified probe sequence please insert --(SEQ ID NO:3)--.

At page 14, Table 1, line 6 following the specified 5' primer sequence please insert -- (SEQ ID NO:4)--.

At page 14, Table 1, line 7 following the specified 3' primer sequence please insert -- (SEQ ID NO:5)--.

At page 14, Table 1, line 8 following the specified probe sequence please insert --(SEQ ID NO:6)--.

At page 14, Table 1, line 9 following the specified 5' primer sequence please insert -- (SEQ ID NO:7)--.

At page 14, Table 1, line 10 following the specified 3' primer sequence please insert -- (SEQ ID NO:8)--.

At page 14, Table 1, line 11 following the specified probe sequence please insert --(SEQ ID NO:9)--.

At page 14, Table 1, line 12 following the specified 5' primer sequence please insert -- (SEQ ID NO:10)--.

At page 14, Table 1, line 13 following the specified 3' primer sequence please insert -- (SEQ ID NO:11)--.

At page 14, Table 1, line 14 following the specified probe sequence please insert --(SEQ ID NO:12)--.

At page 14, Table 1, line 15 following the specified 5' primer sequence please insert --
(SEQ ID NO:13)--.

At page 14, Table 1, line 16 following the specified 3' primer sequence please insert --
(SEQ ID NO:14)--.

At page 14, Table 1, line 17 following the specified probe sequence please insert --(SEQ
ID NO:15)--.

At page 14, Table 1, line 18 following the specified 5' primer sequence please insert --
(SEQ ID NO:16)--.

At page 14, Table 1, line 19 following the specified 3' primer sequence please insert --
(SEQ ID NO:17)--.

At page 14, Table 1, line 20 following the specified probe sequence please insert --(SEQ
ID NO:18)--.

At page 14, Table 1, line 21 following the specified 5' primer sequence please insert --
(SEQ ID NO:19)--.

At page 14, Table 1, line 22 following the specified 3' primer sequence please insert --
(SEQ ID NO:20)--.

At page 14, Table 1, line 23 following the specified probe sequence please insert --(SEQ
ID NO:21)--.


Applicants hereby submit that the enclosures fulfill the requirements under
37 C.F.R. §1.821-1.825. The amendments in the specification merely insert the paper copy of
the Sequence Listing and sequence identifiers in the specification. I hereby state that this
submission, filed in accordance with 37 CFR §1.821(g), does not contain new matter.

Please apply any charges or credits to Deposit Account No. 06-1050.

Serial No. : 09/723,000
Filed : November 27, 2000
Page : 5

Respectfully submitted,

Date: March 22, 2001



J. Patrick Finn III, Ph.D.
Reg. No. 44,109

Fish & Richardson P.C., P.A.
60 South Sixth Street
Suite 3300
Minneapolis, MN 55402
Telephone: (612) 335-5070
Facsimile: (612) 288-9696
20183808.doc